

***Bodet***



*CRISTALYS*


LCD clocks



## A FUTURISTIC DESIGN

- Indoor wall clock with extra flat casing.
- LCD display with wide viewing angle: 160° and excellent contrast.

## 3 CASING COLOURS



Aluminium White Burgundy

## COMMON CHARACTERISTICS

- ABS casing, aluminium colour, for indoor installation, IP40.
- Wall mounting bracket with anti-theft system.
- Operating temperature range: from 0 to 50°C.
- Programming and time setting via 2 push-buttons.
- Power supply: 2 or 4 LR14 (C) batteries depending on model (which last over 3 years). Option: external 230 VAC/6 to 24VDC TBT power supply.
- Permanent data backup.
- Programmed daylight saving time schedules and multi-zone perpetual calendar.
- Wall mounting bracket with built-in 6-24V TBT power supply (removal of the batteries).

### CRISTALYS 7



Fixed or alternating display.



24 hour time display mode



12 hour time display mode



Numerical date or week number display

### CRISTALYS 14



Fixed or alternating display.



Time display



Temperature display



Date or year display



## PARTICULAR CHARACTERISTICS

### Cristalys Date / Ellipse

- Multifunction display :  
Date 18 languages, Ellipse 12 languages.
- Ambient temperature display in °C or F°.

### Cristalys 14

- Ambient temperature display in °C or F°.
- Date or year display.

## AVAILABLE TIME DISTRIBUTION SYSTEMS



	CRISTALYS 7	CRISTALYS 14	CRISTALYS ELLIPSE	CRYSTALYS DATE
Display size	70 mm	140 mm	Digits 60 mm Letters 30 mm	Digits 70 mm Letters 50 mm
Optimal viewing distance	30 m	60 m	30 m	30 m
Weight	0.7 kg	2 kg	1.4 kg	1.4 kg

### CRISTALYS ELLIPSE



Fixed or alternating display.



Temperature display



Multilingual date



Numerical date



Day number  
and week number



Text display  
7 characters

### CRYSTALYS DATE



Fixed or alternating display.



Indoor ambient  
temperature



Cities' name or  
places' name



Countdown to event



Multilingual date  
or numerical date



Day number  
or week number



Seconds counter

# The Bodet Group

*WE GIVE YOU TIME*



## TIME

Time distribution  
Display signage  
LED display  
Audio system



## CAMPANAIRE

Bell renovation  
Frontage dials  
Bell electrification



## SPORT

Timing  
Scoreboards  
Video display



## SOFTWARE

Time management  
Access control  
HR management



[www.bodet-time.com](http://www.bodet-time.com)

BP 30 001 | 49340 Trémentines | FRANCE  
Tel: +33 (0)2 41 71 72 00 | Fax: +33 (0)2 41 71 72 02 | [export@bodet.com](mailto:export@bodet.com)

